MATERIAL DATA SAFETY SHEET May be used to comply with DSHA's Hazard Communication Standard,		0	U.S. DEPARTMENT OF LABOR Occupational Health and Safety Administration (Non-Mandatory Form)				
29 CFR 1910.1200. Standard must be			Form Approved				
consulted for specific requirements.			OMB No. 1218-0072				
Unique Glass Separator, Free & Kiln Wash			Glass Separator, Free & Kiln Wash				
ECTION I:			_				
Manufacturer's Name: Unique Glass Colors, LLC		Е	Emergency Telephone Number: (407) 261-0900				
Address: 300 Ryder Ln Suite 1000		Т	Telephone Number for Information: (407) 261-0900				
Casselberry, FL 32707			Prepared By: MSDS Department Date: 4/22/2010				
ECTION II: HAZARDOUS INGREDIENTS/ID	ENTIT	Y INFO	ORI	MATION		I	
Hazardous Components	CSA#			OSHA PEL	ACGIH TLV	Other limits	%
Crystalline Silica	14808-60-7			10 mg/m3	.1 mg/m3		
Crystalline Silica only becomes a hazard when dispersed in the air or when this product is sprayed.							
Aluminum Hydrate	21645-51-2						
			+				
			+				+-
			$\pm$				
ECTION III: PHYSICAL/CHEMICAL CHARA	CTER	ISTICS					
		212° I		Specific Gravity (H <sub>2</sub> 0=1)		1.8	
Vapor Pressure (mm Hg):		N/A		Melting Point: 18		1800°	
Vapor Density (Air=1):		N/A		Evaporation Rate (Butyl Acetate=1) N.			N/A
Solubility in Water: Insoluble							
Appearance and Odor: Colored viscous liquid. Sli	ight che	mical o	dor	г.			
ECTION IV: FIRE AND EXPLOSION HAZAR	D DAT	A					
Flash Point (Method used): Non-flammable	able Flamn		ble Limits: N/A		LEL: N/A	UEL: N/A	
Extinguishing Media: None required							
Special Fire Fighting Procedures: N/A							

Page 1 of 3

U.S. DEPARTMENT OF LABOR Occupational Health and Safety Administration (Non-Mandatory Form) Form Approved OMB No. 1218-0072

Unique Glass Separator, Free & Kiln Wash Glass Separator, Free & Kiln Wash SECTION I:

Manufacturer's Name: Unique Glass Colors, LLC Emergency Telephone Number: (407) 261-0900

Address: 300 Ryder Ln Suite 1000 Telephone Number for Information: (407) 261-0900

Casselberry, FL 32707 Prepared By: MSDS Department Date: 4/22/2010 SECTION II: HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Hazardous Components CSA# OSHA PEL ACGIH TLV Other limits %

Crystalline Silica 14808-60-7 10 mg/m3 .1mg/m3

Crystalline Silica only becomes a hazard when dispersed in the air or when this product is sprayed.

Aluminum Hydrate

21645-51-2

SECTION III: PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: 212° F Specific Gravity (H

2

0=1) 1.8

Vapor Pressure (mm Hg): N/A Melting Point: 1800°

Vapor Density (Air=1): N/A Evaporation Rate (Butyl Acetate=1) N/A

Solubility in Water: Insoluble

Appearance and Odor: Colored viscous liquid. Slight chemical odor. SECTION IV: FIRE AND

**EXPLOSION HAZARD DATA** 

Flash Point (Method used): Non-flammable Flammable Limits: N/A LEL: N/A UEL: N/A

Extinguishing Media: None required Special Fire Fighting Procedures: N/A

**Unusual Fire and Explosion Hazards: None** 

Page 1 of 3

SECTION V: REACTIVITY DATA PRODUCT: Glass Separator, Free & Kiln Wash

**Stability Unstable Conditions To Avoid: None** 

Stable X

Incompatibility (Materials to Avoid): None

**Hazardous Decomposition or Byproducts: None** 

**Hazardous Polymerization** 

**Unstable Conditions to Avoid: None** 

Stable X SECTION VI: HEALTH HAZARD DATA

Route(s) of Entry: Inhalation? Dust only. Skin? No Ingestion? No

Health Hazards(Acute and Chronic): Silica is not a hazard unless product is reduced to a dust and dispersed in the air, or product is applied by spraying. Prolonged inhalation of silica dust or mists, over an extented period of time may result in injury to the lungs or Silicosis.

.

## Carcinogenicity: NTP? No OSHA Regulated? No IARC Monographs? No Signs and Symptoms of Exposure:

Medical Symptoms Aggravated by Exposure: Abrasive, can irritate eyes, skin and lungs

Emergency and First Aid Procedures: Eye Contact – Flush with water for 15 minutes.

Skin Contact – Wash with mild soap and water. Inhalation- Move to fresh air. SECTION VII: PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to be taken in Case Material is Released or Spilled: Uncontamnated material may be recovered and used, otherwise clean up with paper towels and dispose of in trash receptacle.

Waste Disposal Method: Dispose of according to State and Federal regulations

Other Precautions: If spraying, the use of a NIOSH approved respirator for dust and mists is required.

Precautions to be Taken in Handling and Storing: Protect from freezing. Close lid tightly to prevent material from

drying out. Practice good housekeeping. SECTION VIII: CONTROL MEASURES

**Respiratory Protection: Only if spraying** 

Ventilation: local exhaust if necessary for dust control.

**Protective Gloves: Not Necessary Eye Protection: Avoid eye contact.** 

Work/Hygenic Practices: Cleanliness

Unique Glass Colors 300 Ryder LN Suite 1000, Casselberry, FL 32707 Page 2 of 3

Product: Glass Seperator, Free & Kiln Wash

The information and recommendations contained in this Material Safety Data Sheet from sources believed to be reliable and to represent the most reasonable current opinion on the subject when the MSDS was prepared. No warranty, guaranty or representation is made as to the correctness or sufficiency of the information. The user of this product must decide for itself what safety measures are necessary to safely use this product, either alone or in combination with other products.

**Unique Glass Separator Free Kiln Wash** 

Unique Glass Colors 300 Ryder LN Suite 1000, Casselberry, FL 32707

Page 3 of 3